

APPROVED 2S. 'STICK' Lithium (LiPo) BATTERY LIST. 2010.

Only Batteries detailed below are approved for BRCA Sanctioned Events in 2010.

Lithium based (LiPo) batteries detailed below, are approved for various BRCA Electric Classes. Section Rules will detail Classes applicable. BRCA rules do not specify capacity or power output limits for batteries. Values below are Manufacturers data. Packs factory sealed (glue, weld etc). Availability dates for new BRCA compliant Packs are not known at the date of publishing this list. Manufacturers have confirmed March 2010 latest. Battery packs must be able to be disconnected within the Car quickly without the use of tools. Direct soldering is not allowed.

It is essential that batteries on this list are charged using a 2S LiPo compatible charger. It is advisable to restrict charge rates to 1C.

It is strictly NOT ALLOWED, to charge 2S LiPo Batteries to give an output voltage exceeding 8.40v. (Not all batteries will be EFRA approved).

| Origin of Supply | Cell Name, Shrink Details | Illustration only | Manufacturer Data. | BRCA measured Specification, | Approval Date |
|---------------------------|-----------------------------------|---|---|---|---------------|
| VTEC | LRP Competition car line. # 79867 |  | LRP LiPo 2S 7.4v. 5300. 30C | Length: 137.26 mm. Width: 46.04 mm. High: 23.53 mm. Wt. 267.3 g Has chassis location. | 17.01.2010 |
| VTEC | LRP Competition car line. # 79875 |  | LRP LiPo 2S 7.4v. 5600. 50C | Length: 138.68 mm. Width: 46.33 mm. High: 25.10 mm. Wt. 301.8 g Has chassis location. | 17.01.2010 |
| VTEC | LRP Competition car line. # 79876 |  | LRP LiPo 2S 7.4v. 5900. 50C | Length: 138.44 mm. Width: 46.43 mm. High: 24.99 mm. Wt. 291.7 g Has chassis location. | 17.01.2010 |
| ORION | ORION Carbon # ORI14030 |  | Orion LiPo 2S 7.4v. 4600. 45C | Length: 138.43 mm. Width: 46.32 mm. High: 24.78 mm. Wt. 284.0 g. | 17.01.2010 |
| ORION | ORION Carbon # ORI14022 |  | Orion LiPo 2S 7.4v. 4600. 45C | Length: 138.16 mm. Width: 46.08 mm. High: 24.71 mm. Wt. inc. wire 252.7 g. | 17.01.2010 |
| ORION | ORION Carbon # ORI14029 |  | Orion LiPo 2S 7.4v. 5000. 45C | Length: 138.50 mm. Width: 46.12 mm. High: 24.77 mm. Wt. 272.8 g. | 17.01.2010 |
| ORION | ORION Carbon # ORI14021 |  | Orion LiPo 2S 7.4v. 5000. 45C | Length: 138.34 mm. Width: 46.17 mm. High: 24.66 mm. Wt. inc. wire 283.7 g. | 17.01.2010 |
| ORION | ORION Carbon # ORI14028 |  | Orion LiPo 2S 7.4v. 5400. 45C | Length: 138.42 mm. Width: 46.37 mm. High: 24.83 mm. Wt. 284.3 g. | 17.01.2010 |
| ORION | ORION Carbon # ORI14020 |  | Orion LiPo 2S 7.4v. 5400. 45C | Length: 138.49 mm. Width: 46.24 mm. High: 24.71 mm. Wt. inc. wire 296.6 g. | 17.01.2010 |
| Xceed | Xceed Race Pack # 105113 |  | Xceed LiPo 2S 7.4v. 5000 mah. 40C | Length: 137.28 mm. Width: 46.38 mm. High: 22.83 mm. Wt. 264.0 g Has chassis location. | 17.01.2010 |
| Superior Matching Concept | SMC C-Max # 5250CMI |  | SMC LiPo 2S 7.4v. 5200 mah. 50C Can be Black case same Pt. # | Length: 138.17 mm. Width: 46.05 mm. High: 23.45 mm. Wt. 271.7 g. | 17.01.2010 |

| | | | | | |
|-----------------------|-------------------------------------|---|--|---|--|
| Graupner | GM V-MAXX # 99002 |  | GM LiPo 2S 7.4v. 4200 mah. 45C 1 off Tube 3.5mm. | Length: 137.30 mm. Width: 46.32 mm. High: 21.04 mm. Wt. 241.0 g. | 17.01.2010 |
| Graupner | GM V-MAXX # 99003 |  | GM LiPo 2S 7.4v. 5400 mah. 45C Case Black or C/Fibre | Length: 137.31 mm. Width: 46.36 mm. High: 23.30 mm. Wt. 278.6 g. | 17.01.2010 |
| Graupner | GM V-MAXX # 98997 |  | GM LiPo 2S 7.4v. 5400 mah. 45C 1 off Tube 3.5mm. Case Black or C/Fibre | Length: 137.31 mm. Width: 46.37 mm. High: 23.26 mm. Wt. 278.7 g. | 17.01.2010 |
| Graupner | GM V-MAXX # 99000 |  | GM LiPo 2S 7.4v. 5400 mah. 50C Case Black or C/Fibre | Length: 137.20 mm. Width: 46.44 mm. High: 24.95 mm. Wt. 301.6 g. | 17.01.2010 |
| Graupner | GM V-MAXX # 98998 |  | GM LiPo 2S 7.4v. 5400 mah. 50C 1 off Tube 3.5mm. Case Black or C/Fibre | Length: 137.31 mm. Width: 46.39 mm. High: 24.93 mm. Wt. 301.6 g. | 17.01.2010 |
| First Strong | Speed Power # SLR5545H |  | Speedpower LiPo 2S 7.4v. 5300 mah. 45C | Length: 137.35 mm. Width: 46.31 mm. High: 23.00 mm. Wt. 264.1 g. Has chassis location | 17.01.2010 Part # corrected. 14.04.10 |
| Advanced Energy | Thunder Power RC # TP5200-2SPR50 |  | Thunder Power LiPo 2S 7.4v. 5200 mah. 50C | Length: 138.05 mm. Width: 46.49 mm. High: 23.21 mm. Wt. inc. wire 303.5 g. | 17.01.2010 |
| Advanced Energy | Thunder Power RC # TP5400-2SSR |  | Thunder Power LiPo 2S 7.4v. 5400 mah. 25C | Length: 137.83 mm. Width: 46.67 mm. High: 23.12 mm. Wt. inc. wire 291.9 g. | 17.01.2010 |
| Robitronic Electronic | Robitronic # RO5215 |  | Robitronic LiPo 2S 7.4v. 5000 50C | Length: 137.92 mm. Width: 46.34 mm. High: 23.62 mm. Wt. 294.8 g | 17.01.2010 |
| Robitronic Electronic | Robitronic # RO5216 |  | Robitronic LiPo 2S 7.4v. 5400 50C | Length: 138.46 mm. Width: 46.48 mm. High: 25.09 mm. Wt. 319.2 g | 17.01.2010 |
| Associated Electrics | Reedy # 685 |  | Reedy LiPo 2S 7.4v. 5000 mah. 40C | Length: 138.66 mm. Width: 46.71 mm. High: 23.10 mm. Wt. 285.5 g | 17.01.2010 |
| Desire Power | Desire Power V6 # DPC5000XP45 |  | Desire Power LiPo 2S 7.4v. 5000 mah. 45C | Length: 138.08 mm. Width: 46.71 mm. High: 24.70 mm. Wt. 281.5 g | 17.01.2010 |
| Flextech | Flextech # FT-CB500045P-2 |  | Flextech LiPo 2S 7.4v. 5000 mah. 45C | Length: 138.98 mm. Width: 46.63 mm. High: 23.86 mm. Wt. 274.3 g | 17.01.2010 |













| | | | | | |
|----------------------|--------------------------|---|--|--|------------|
| Intellect Battery | IP # CC2S4200V5 |  | Intellect LiPo 2S 4200 mah. 7.4v. 50C | Length: 137.23 mm. Width: 46.44 mm. High: 21.19 mm. Wt. 241.8 g | 17.01.2010 |
| Intellect Battery | IP # CC2S5000V5 |  | Intellect LiPo 2S 5000 mah. 7.4v. 50C | Length: 137.21 mm. Width: 46.34 mm. High: 23.02 mm. Wt. 278.1 g | 17.01.2010 |
| Intellect Battery | IP # CC2S5600V5 |  | Intellect LiPo 2S 5600 mah. 7.4v. 50C | Length: 137.13 mm. Width: 46.47 mm. High: 25.03 mm. Wt. 304.8 g | 17.01.2010 |
| Muchmore | Impact # MLI-IH4000 |  | Muchmore LiPo 2S 4400 7.4v. 50C | Length: 137.31 mm. Width: 46.39 mm. High: 21.13 mm. Wt. 241.4 g | 17.01.2010 |
| Muchmore | Impact # MLI-IH5200 |  | Muchmore LiPo 2S 5200 7.4v. 50C | Length: 137.34 mm. Width: 46.30 mm. High: 23.03 mm. Wt. 279.0 g | 17.01.2010 |
| Muchmore | Impact # MLI-IH5600 |  | Muchmore LiPo 2S 5600 7.4v. 50C | Length: 137.28 mm. Width: 46.44 mm. High: 24.89 mm. Wt. 301.7 g | 17.01.2010 |
| Shenzhen Ryder Elec. | Rydbatt # 8543128 |  | Shenzhen Ryder LiPo 2S 3800 mah. 7.4v. 35C | Length: 137.57 mm. Width: 46.12 mm. High: 23.02 mm. Wt. 242.3 g Has chassis location | 17.01.2010 |
| Shenzhen Ryder Elec. | Rydbatt # 9543128 |  | Shenzhen Ryder LiPo 2S 5000 mah. 7.4v. 25C | Length: 137.21 mm. Width: 46.09 mm. High: 23.11 mm. Wt. 273.4 g Has chassis location | 17.01.2010 |
| Shenzhen Ryder Elec. | Rydbatt # 9843128 |  | Shenzhen Ryder LiPo 2S 5000 mah. 7.4v. 30C | Length: 137.32 mm. Width: 46.09 mm. High: 22.97 mm. Wt. 278.7 g Has chassis location | 17.01.2010 |
| Yuntong | Yuntong # YT90068 |  | Yuntong LiPo 2S 5000 mah. 7.4v. 40C | Length: 137.09 mm. Width: 45.37 mm. High: 23.22 mm. Wt. 287.7 g | 17.01.2010 |
| Yuntong | Yuntong # YT90092 |  | Yuntong LiPo 2S 5000 mah. 7.4v. 50C | Length: 137.28 mm. Width: 45.37 mm. High: 23.22 mm. Wt. 291.2 g | 17.01.2010 |
| Yuntong | Yuntong # YT90108 |  | Yuntong LiPo 2S 5400 mah. 7.4v. 50C | Length: 138.29 mm. Width: 46.55 mm. High: 25.08 mm. Wt. 316.1 g | 17.01.2010 |
| Arrowind Hobby Co. | Team Arrowind # 20017 |  | Arrowind LiPo 2S 5000 7.4v. 40C | Length: 137.20 mm. Width: 46.30 mm. High: 22.86 mm. Wt. 264.6 g Has chassis location | 17.01.2010 |

| | | | | | | |
|------------------|-------------------------------------|--|-------------------------------------|--------------|--|------------|
| Bionic Batteries | Bionic # BCS45-5000-0201 |  | Bionic LiPo 2S 5000 mah. | 7.4v. 45C | Length: 138.27 mm. Width: 46.36 mm. High: 24.84 mm. Wt. 277.2 g | 17.01.2010 |
| Corally RC BV | Team Corally # 48252 |  | Corally LiPo 2S 5200 mah. | 7.4v. 40C | Length: 138.67 mm. Width: 46.29 mm. High: 22.93 mm. Wt. 282.7 g | 17.01.2010 |
| CS Electronics | CS Factory Professional #C211009 |  | CS LiPo 2S 5200 | 7.4v. 40C | Length: 137.05 mm. Width: 45.30 mm. High: 23.38 mm. Wt. 283.9 g | 17.01.2010 |
| Enrichpower | EP # EP5542125H45 |  | EP LiPo 2S 5200 mah. | 7.4v. 45C | Length: 137.65 mm. Width: 46.03 mm. High: 23.71 mm. Wt. 274.5 g | 17.01.2010 |
| Enerland | Enerland # PQ-5000RXQ |  | Enerland LiPo 2S 5000 mah. | 7.4v. 30C | Length: 138.14 mm. Width: 46.73 mm. High: 24.20 mm. Wt. inc. wire 304.4 g. | 17.01.2010 |
| | | Battery removed from list due to manufacturer not complying with BRCA procedures. 14.04.10. | | | | |
| Italtrading | EZ-Power # EZP5400/2-HP |  | Ital LiPo 2S 5400 mah. | 7.4v. 50C | Length: 137.20 mm. Width: 46.44 mm. High: 24.95 mm. Wt. 302.5 g | 17.01.2010 |
| VTEC | Nosram X-treme Race # 99945 |  | Nosram LiPo 2S 5600 | 7.4v. 50C | Length: 138.59 mm. Width: 46.20 mm. High: 24.86 mm. Wt. 298.7 g Has chassis location | 17.01.2010 |
| VTEC | Nosram X-treme Race # 99946 |  | Nosram LiPo 2S 5900 | 7.4v. 50C | Length: 138.57 mm. Width: 46.29 mm. High: 24.99 mm. Wt. 288.2 g Has chassis location | 17.01.2010 |
| Moore-speed | Moore-speed # MS-B7403 |  | Moore speed LiPo 2S 5000 mah. | 7.4v. 50C | Length: 138.18 mm. Width: 46.22 mm. High: 24.73 mm. Wt. 269.9 g | 17.01.2010 |
| Moore-speed | Moore-speed # MS-B7404 |  | Moore speed LiPo 2S 5000 mah. | 7.4v. 50C | Length: 138.27 mm. Width: 46.15 mm. High: 24.71 mm. Wt. inc. wire 285.2 g. | 17.01.2010 |
| Moore-speed | Moore-speed # MS-B7401 |  | Moore speed LiPo 2S 5600 mah. | 7.4v. 50C | Length: 138.23 mm. Width: 46.18 mm. High: 24.78 mm. Wt. 274.2 g | 17.01.2010 |
| Moore-speed | Moore-speed # MS-B7402 |  | Moore speed LiPo 2S 5600 mah. | 7.4v. 50C | Length: 138.31 mm. Width: 46.07 mm. High: 24.71 mm. Wt. inc. wire 291.9 g. | 17.01.2010 |

| | | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|--------------|---|------------|
| Racing Art | Alien power # AP5000 |  | Racing Art LiPo 2S 5000 mah. | 7.4v. 40C | Length: 138.11 mm. Width: 46.31 mm. High: 24.00 mm. Wt. 280.5 g | 17.01.2010 |
| Vampire Racing | Vampire # VR-1010 |  | Vampire LiPo 2S 5000 mah. | 7.4v. 40C | Length: 137.16 mm. Width: 46.11 mm. High: 22.82 mm. Wt. 264.6 g Has chassis location | 17.01.2010 |
| Vampire Racing | Vampire # VR-1011 |  | Vampire LiPo 2S 5000 mah. | 7.4v. 40C | Length: 136.96 mm. Width: 45.03 mm. High: 23.34 mm. Wt. 281.2 g | 17.01.2010 |
| Vapex Tech. | VP # VP5243128 SH45C |  | Vapex LiPo 2S 5000 mah. | 7.4v. 45C | Length: 137.66 mm. Width: 46.03 mm. High: 23.97 mm. Wt. 280.4 g | 17.01.2010 |
| Victory Battery | VB #VB-5000 H40C |  | Victory LiPo 2S 5000 mah. | 7.4v. 40C | Length: 138.29 mm. Width: 46.36 mm. High: 24.00 mm. Wt. 282.1 g | 17.01.2010 |
| X-Factory UK | EPIC # TEP2000 |  | Epic LiPo 2S 5000 mah. | 7.4v. 40C | Length: 137.09 mm. Width: 46.05 mm. High: 23.11 mm. Wt. 266.8 g Has chassis location. | 25.01.2010 |
| RC Racing UK | Track & Field # XP54002TF |  | Dualsky LiPo 2S 5400 mah. | 7.4v. 40C | Length: 137.27 mm. Width: 45.03 mm. High: 23.01 mm. Wt. 269.4 g. | 25.01.2010 |
| RC Racing UK | Track & Field # XP50002TF |  | Dualsky LiPo 2S 5000 mah. | 7.4v. 50C | Length: 138.34 mm. Width: 46.32 mm. High: 23.10 mm. Wt. 284.5 g. | 25.01.2010 |
| RC Racing UK | ORCA # OB50740H |  | Orca LiPo 2S 5000 mah. | 7.4v. 40C | Length: 137.06 mm. Width: 46.53 mm. High: 23.01 mm. Wt. 264.0 g Has chassis location. | 25.01.2010 |
| Overlander | Overlander Tornado # 1460 |  | Overlander LiPo 2S 5400 | 7.4v. 25C | Length: 138.58 mm. Width: 46.29 mm. High: 22.11 mm. Wt. 273.9 g. | 25.01.2010 |
| HPI Europe | Plazma # 101941 |  | HPI LiPo 2S 4000 mah. | 7.4v. 20C | Length: 138.53 mm. Width: 46.09 mm. High: 24.14 mm. Wt. inc. wire 231.6 g. | 25.01.2010 |
| HPI Europe | Plazma # 101942 |  | HPI LiPo 2S 5300 mah. | 7.4v. 30C | Length: 138.45 mm. Width: 46.38 mm. High: 24.77 mm. Wt. inc. wire 290.3 g. | 25.01.2010 |
| Red Racing | Team Powers # TP-5000-40C |  | Team Powers LiPo 2S 5000 mah. | 7.4v. 40C | Length: 137.20 mm. Width: 46.20 mm. High: 22.90 mm. Wt. 262.6 g Has chassis location. | 25.01.2010 |

BATTERIES BELOW THIS LEVEL WERE APPROVED BY BRCA FOR 2009 AND ARE ALLOWED AT 2010 EVENTS.

| | | | | | |
|---------------------------------|--|---|---|---|---|
| VTEC | LRP Competition car line. # 79862 |  | LRP LiPo 2S 7.4v. 5300. 28C | Length: 137.50 mm. Width: 46.20 mm. High: 23.44 mm. Wt. 281.7 g Has chassis location. | 16.02.2009 |
| VTEC | LRP Competition car line. # 79868 |  | LRP LiPo 2S 7.4v. 5300. 40C | Length: 137.34 mm. Width: 46.04 mm. High: 23.48 mm. Wt. 269.3 g Has chassis location. | 16.02.2009 |
| ORION | ORION Experience #ORI14007 |  | Orion LiPo 2S 7.4v. 2400 mah. 20C | Length: 137.30 mm. Width: 46.60 mm. High: 20.54 mm. Wt. 148.3 g Has chassis location | 16.02.2009 |
| ORION | ORION Race Spec. #ORI14008 |  | Orion LiPo 2S 7.4v. 3400 mah. 25C | Length: 137.50 mm. Width: 46.82 mm. High: 20.96 mm. Wt. 197.3 g Has chassis location | 16.02.2009 |
| ORION | ORION Race Spec. #ORI14009 |  | Orion LiPo 2S 7.4v. 3800 mah. 30C | Length: 137.40 mm. Width: 46.72 mm. High: 20.91 mm. Wt. 228.6 g Has chassis location | 16.02.2009 |
| ORION | ORION Platinum Two #ORI14010 |  | Orion LiPo 2S 7.4v. 5000 mah. 20C | Length: 136.70 mm. Width: 44.92 mm. High: 22.81 mm. Wt. 256.7 g | 16.02.2009 |
| VTEC | NOSRAM X-Treme Race # 99969 |  | Nosram LiPo 2S 7.4v. 5300. 28C | Length: 137.40 mm. Width: 46.20 mm. High: 23.49 mm. Wt. 283.9 g Has chassis location | 16.02.2009 |
| VTEC | NOSRAM X-Treme Race # 99971 |  | Nosram LiPo 2S 7.4v. 5300. 40C | Length: 137.07 mm. Width: 46.11 mm. High: 23.47 mm. Wt. 268.2 g Has chassis location | 16.02.2009 |
| GM Racing | GM V-MAXX # 98982 |  | GM LiPo 2S 7.4v. 4000 mah. 35C | Length: 137.20 mm. Width: 46.20 mm. High: 21.10 mm. Wt. 236.3 g Has chassis location | 16.02.2009 |
| GM Racing | GM V-MAXX # 98986 |  | GM LiPo 2S 7.4v. 5000 mah. 30C | Length: 137.10 mm. Width: 46.12 mm. High: 23.02 mm. Wt. 276.8 g Has chassis location | 16.02.2009 |
| GM Racing | GM V-MAXX # 98987 |  | GM LiPo 2S 7.4v. 5000 mah. 35C | Length: 138.41 mm. Width: 46.18 mm. High: 23.23 mm. Wt. 285.0 g | 16.02.2009 Part # corrected 15.05.09 |
| Superior Matching Concept | SMC Sport Max # 4740CM |  | SMC LiPo 2S 7.4v. 4700 mah. 40C | Length: 138.36 mm. Width: 46.63 mm. High: 21.86 mm. Wt. 252.3 g Has chassis location | 16.02.2009 |
| Superior Matching Concept | SMC C-Max # 5028SM |  | SMC LiPo 2S 7.4v. 5000 mah. 28C | Length: 138.48 mm. Width: 46.60 mm. High: 21.94 mm. Wt. 249.3 g Has chassis location | 16.02.2009 |

| | | | | | |
|----------------------|-----------------------------------|---|--|--|------------|
| Advanced Energy Inc. | Thunder Power RC # TP5000-2SPR |  | Thunder Power LiPo 2S 7.4v. 5000 mah. 40C | Length: 136.34 mm. Width: 46.32 mm. High: 23.22 mm. Wt. inc. wire 302.5 g | 16.02.2009 |
| TrakPower | TrakPower # TP32002S |  | TrakPower LiPo 2S 7.4v. 3200 mah. 20C Also EFRA label | Length: 137.45 mm. Width: 45.03 mm. High: 20.77 mm. Wt. 178.2 g | 16.02.2009 |
| TrakPower | TrakPower # TP32002S (30) |  | TrakPower LiPo 2S 7.4v. 3200 mah. 30C Also EFRA label | Length: 137.47 mm. Width: 44.98 mm. High: 20.71 mm. Wt. 193.4 g | 16.02.2009 |
| TrakPower | TrakPower # TP36002S (30) |  | TrakPower LiPo 2S 7.4v. 3600 mah. 30C Also EFRA label | Length: 137.41 mm. Width: 45.05 mm. High: 20.61 mm. Wt. 213.3 g | 16.02.2009 |
| TrakPower | TrakPower # TP49002S |  | TrakPower LiPo 2S 7.4v. 4900 mah. 25C Also EFRA label | Length: 137.36 mm. Width: 45.11 mm. High: 23.05 mm. Wt. 264.4 g | 16.02.2009 |
| TrakPower | TrakPower # TP54002S |  | TrakPower LiPo 2S 7.4v. 5400 mah. 16C Also EFRA label | Length: 137.50 mm. Width: 45.01 mm. High: 23.14 mm. Wt. 258.8 g | 16.02.2009 |
| Corally | Corally # 48251 |  | Corally LiPo 2S 7.4v. 5000 mah. 25C | Length: 137.09 mm. Width: 46.03 mm. High: 23.03 mm. Wt. 267.7 g | 16.02.2009 |
| Demon Power Products | Demon # DL5035 |  | Demon LiPo 2S1P 7.4v. 5000 mah. 35C | Length: 137.13 mm. Width: 46.26 mm. High: 22.77 mm. Wt. 274.4 g Has chassis location | 16.02.2009 |
| Demon Power Products | Demon # DL5040 |  | Demon LiPo 2S1P 7.4v. 5000 mah. 40C | Length: 136.80 mm. Width: 44.97 mm. High: 23.29 mm. Wt. 282.9 g | 16.02.2009 |
| GPI International | GP # TC302 |  | GP LiPo 2S 7.4v. 4300 35C | Length: 137.81 mm. Width: 46.38 mm. High: 23.42 mm. Wt. 232.1 g Has chassis location | 16.02.2009 |
| GPI International | GP # TC301 |  | GP LiPo 2S 7.4v. 5300 28C | Length: 137.87 mm. Width: 46.25 mm. High: 23.44 mm. Wt. 271.6 g Has chassis location | 16.02.2009 |
| Youchuang Electronic | H-Energy # HE5200-08 |  | H-Energy LiPo 2S2P 7.4v. 5200 mah. 25C | Length: 138.11 mm. Width: 46.79 mm. High: 23.17 mm. Wt. 269.9 g | 16.02.2009 |
| Hartweg RC | Green Power # GP1038 |  | Green Power LiPo 2S1P 7.4v. 3800 mah. 30C | Length: 137.36 mm. Width: 45.58 mm. High: 20.60 mm. Wt. 197.4 g Has chassis location | 16.02.2009 |

| | | | | | | |
|-----------------------|-------------------------|---|------------------------------------|--------------|--|------------|
| Intellect Battery | IP # CC2S3800V3 |  | Intellect LiPo 2S 3800 mah. | 7.4v. 35C | Length: 137.10 mm. Width: 46.08 mm. High: 21.23 mm. Wt. 236.2 g Has chassis location | 16.02.2009 |
| Intellect Battery | IP # CC2S5000V1 |  | Intellect LiPo 2S 5000 mah. | 7.4v. 30C | Length: 137.04 mm. Width: 46.03 mm. High: 23.10 mm. Wt. 278.1 g Has chassis location | 16.02.2009 |
| Associated Electrics | Reedy # 711 |  | Reedy LiPo 2S 4900 mah. | 7.4v. 35C | Length: 138.98 mm. Width: 46.39 mm. High: 23.41 mm. Wt. 289.8 g | 16.02.2009 |
| Robitronic Electronic | Robitronic # RO5211 |  | Robitronic LiPo 2S2P 5000 | 7.4v. 35C | Length: 136.82 mm. Width: 44.78 mm. High: 23.30 mm. Wt. 287.3 g | 16.02.2009 |
| Robitronic Electronic | Robitronic # RO5212 |  | Robitronic LiPo 2S2P 5000 | 7.4v. 40C | Length: 136.79 mm. Width: 44.74 mm. High: 22.97 mm. Wt. 282.5 g | 16.02.2009 |
| Speedpower | Speedpower #SLR4025H |  | Speedpower LiPo 2S 4000 mah. | 7.4v. 25C | Length: 137.14 mm. Width: 46.20 mm. High: 21.02 mm. Wt. 238.9 g Has chassis location | 16.02.2009 |
| Speedpower | Speedpower #SLR4035H |  | Speedpower LiPo 2S 4000 mah. | 7.4v. 35C | Length: 137.16 mm. Width: 46.20 mm. High: 21.12 mm. Wt. 233.5 g Has chassis location | 16.02.2009 |
| Speedpower | Speedpower #SLR5303H |  | Speedpower LiPo 2S 5300 mah. | 7.4v. 30C | Length: 137.16 mm. Width: 46.17 mm. High: 23.01 mm. Wt. 276.7 g Has chassis location | 16.02.2009 |
| Hyperion HK | Swift #HPSW354000 |  | Swift LiPo 2S 4000 mah. | 7.4v. 35C | Length: 136.96 mm. Width: 46.03 mm. High: 21.11 mm. Wt. 235.7 g Has chassis location | 16.02.2009 |
| Hyperion HK | Swift #HPSW305000 |  | Swift LiPo 2S 5000 mah. | 7.4v. 30C | Length: 137.08 mm. Width: 46.08 mm. High: 22.98 mm. Wt. 277.8 g Has chassis location | 16.02.2009 |
| Vampire Racing | Vampire # VR-1003 |  | Vampire LiPo 2S 2700 mah. | 7.4v. 25C | Length: 137.21 mm. Width: 46.31 mm. High: 21.00 mm. Wt. 173.5 g Has chassis location | 16.02.2009 |
| Vampire Racing | Vampire # VR-1004 |  | Vampire LiPo 2S 4000 mah. | 7.4v. 35C | Length: 137.16 mm. Width: 46.21 mm. High: 21.10 mm. Wt. 238.9 g Has chassis location | 16.02.2009 |
| Vampire Racing | Vampire # VR-1005 |  | Vampire LiPo 2S 5200 mah. | 7.4v. 30C | Length: 137.23 mm. Width: 46.13 mm. High: 22.97 mm. Wt. 275.7 g Has chassis location | 16.02.2009 |

| | | | | | |
|---------|----------------------|---|--|---|------------|
| Vapex | Vapex # 2VP4000LP |  | Vapex LiPo 2S 4000 mah. 7.4v. 25C | Length: 138.00 mm. Width: 46.77 mm. High: 23.21 mm. Wt. 277.0 g | 16.02.2009 |
| Vapex | Vapex # 2VP5200LP |  | Vapex LiPo 2S 5200 mah. 7.4v. 25C | Length: 138.01 mm. Width: 46.82 mm. High: 23.20 mm. Wt. 273.4 g | 16.02.2009 |
| Yuntong | Yuntong # YT90018 |  | Yuntong LiPo 2S 5000 mah. 7.4v. 20C | Length: 137.14 mm. Width: 44.97 mm. High: 23.19 mm. Wt. inc wire 280.2 g | 16.02.2009 |
| Yuntong | Yuntong # YT90043 |  | Yuntong LiPo 2S 5000 mah. 7.4v. 30C | Length: 136.84 mm. Width: 45.05 mm. High: 23.11 mm. Wt. 276.4 g | 16.02.2009 |

BATTERIES BELOW THIS LEVEL WERE APPROVED FOR BRCA T/C FOR 2008 AND ARE ALLOWED AT 2010 EVENTS.

| | | | | | |
|-------------------------|---|---|--|--|------------|
| MuchMore | 3Racing # L370025 |  | 3Racing LiPo - Cell 3700 mah. 25C | Length: 138.0 mm. Width: 46.9 mm. High.: 21.3 mm. Wt.: 211 g Has chassis location | 01.12.2008 |
| Demon Products | Demon # DL3800 |  | Demon Power Products LiPo - 2S1P Cell 3800 mah. 35C | Length: 137.2 mm. Width: 46.2 mm. High.: 21.2 mm. Wt.: 238 g Has chassis location | 01.12.2008 |
| Speed Passion | Speed Passion Power Made LiPo Battery #SP25C4000 |  | Speed Passion LiPo - 2S1P Cell 4000 mah. 25C | Length: 137.2 mm. Width: 46.2 mm. High.: 21.0 mm. Wt.: 233 g. Has chassis location | 08.09.2008 |
| Ripmax | Impulse Power # 2S1P340020C |  | Ripmax LiPo - 2S1P Cell 3400 mah. 20C. | Length: 137.7 mm. Width: 45.9 mm. High.: 21.7 mm. Wt.: 201 g Has chassis location | 21.07.2008 |
| Much More | Tekin Power Cell # TT1600 |  | Tekin LiPo - 2S1P Cell 3400 mah. 23C | Length: 137.7 mm. Width: 45.9 mm. High.: 21.5 mm. Wt.: 200 g. Has chassis location | 23.06.2008 |
| Demon Products | Demon # DL3600 |  | Demon Power Products LiPo - 2S1P Cell 3600 mah. 25C | Length: 138.6 mm. Width: 46.8 mm. High.: 22.2 mm. Wt.: with wire 255 g. Has chassis location | 19.05.2008 |
| Associated Electrics | Reedy LiPo Pro. #703 |  | Reedy LiPo - 2S1P Cell 5000 mah. 20C | Length: 138.9 mm. Width: 46.0 mm. High.: 23.4 mm. Wt.: inc. wire 295 g. Has chassis location | 19.05.2008 |
| Orion | Orion Race Spec. |  | Orion LiPo - 2S1P Cell 3600 mah. 25C | Length: 137.7 mm. Width: 46.8 mm. High.: 23.2 mm. Wt.: 228 g. Has chassis location | 14.04.2008 |
| Orion | Platinum Edition |  | Orion LiPo - 2S1P Cell 4800 mah. 15C | Length: 136.9 mm Width: 45.1 mm. High.: 23.1 mm. Wt.: 256 g. | 14.04.2008 |

| | | | | | |
|------------|-------------------------|---|--|--|------------|
| Schumacher | CORE-RC |  | Core-RC LiPo - 2S1P Cell 5000 mah 25C | Length: 136.9 mm. Width: 46.3 mm. High.: 23.4 mm. Wt.: inc. wire 279 g. | 10.03.2008 |
| Trinity | Reference # TRI20218 |  | Trinity LiPo - 2S1P Cell 4500 mah. ? C | Length: 137.4 mm. Width: 46.9 mm. High.: 23.3 mm. Wt.: inc. wire 242 g. | 03.03.2008 |
| Orion | Carbon Edition |  | Orion LiPo - 2S1P Cell 3200 mah. 20C | Length: 137.5 mm. Width: 46.5 mm. High.: 23.2 mm. Wt.: 197 g. Has chassis location | 03.03.2008 |

Paul Worsley. (BRCA Electric Board Tech. Officer) 27.01.10. (Ten Pages.)
Part # for Speed Power battery corrected. 14.04.10.